



Revision Number: 001.1

Issue date: 09/07/2022

## 1. PRODUCT AND COMPANY IDENTIFICATION

|                               |                                                                             |                     |               |
|-------------------------------|-----------------------------------------------------------------------------|---------------------|---------------|
| <b>Product name:</b>          | <b>LOCTITE LB 8009 HEAVY DUTY ANTI-SEIZE known as Heavy Duty Anti-Seize</b> | <b>IDH number:</b>  | 209758        |
| <b>Product type/use:</b>      | Antiseize                                                                   | <b>Item number:</b> | 51606         |
| <b>Restriction of Use:</b>    | None identified                                                             | <b>Region:</b>      | United States |
| <b>Company address:</b>       | <b>Contact information:</b>                                                 |                     |               |
| Henkel Corporation            | Telephone: +1 (860) 571-5100                                                |                     |               |
| One Henkel Way                | MEDICAL EMERGENCY Phone: Poison Control Center                              |                     |               |
| Rocky Hill, Connecticut 06067 | 1-877-671-4608 (toll free) or 1-303-592-1711                                |                     |               |
|                               | TRANSPORT EMERGENCY Phone: CHEMTREC                                         |                     |               |
|                               | 1-800-424-9300 (toll free) or 1-703-527-3887                                |                     |               |
|                               | Internet: www.henkelna.com                                                  |                     |               |

## 2. HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

**WARNING:** CAUSES SERIOUS EYE IRRITATION.

| HAZARD CLASS   | HAZARD CATEGORY |
|----------------|-----------------|
| EYE IRRITATION | 2A              |

### PICTOGRAM(S)



### Precautionary Statements

|                    |                                                                                                                                                                                     |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Prevention:</b> | Wash affected area thoroughly after handling. Wear eye and face protection.                                                                                                         |
| <b>Response:</b>   | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
| <b>Storage:</b>    | Not prescribed                                                                                                                                                                      |
| <b>Disposal:</b>   | Not prescribed                                                                                                                                                                      |

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s)                                 | CAS Number | Percentage* |
|--------------------------------------------------------|------------|-------------|
| Calcium fluoride                                       | 7789-75-5  | 10 - 30     |
| Graphite                                               | 7782-42-5  | 10 - 30     |
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | 10 - 30     |
| Dodecylbenzene calcium sulfonate                       |            | 5 - 10      |
| Calcium distearate                                     | 1592-23-0  | 5 - 10      |
| Calcium carbonate                                      | 471-34-1   | 1 - 5       |

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

## 4. FIRST AID MEASURES

|                      |                                                                                                                                                                                                                                                                 |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation:</b>   | If not breathing, give artificial respiration. If breathing is difficult, oxygen should be administered by qualified personnel. Move to fresh air. If symptoms persist, seek medical advice.                                                                    |
| <b>Skin contact:</b> | Rinse with running water and soap. Remove contaminated clothing and shoes. Seek medical attention immediately. Wash contaminated clothing before reuse. Thoroughly clean shoes before reuse. Discard any shoes or clothing items that cannot be decontaminated. |
| <b>Eye contact:</b>  | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek medical attention immediately.                                                                                                                                    |
| <b>Ingestion:</b>    | Seek immediate medical attention. Do not induce vomiting. Never give anything by mouth to an unconscious person.                                                                                                                                                |
| <b>Symptoms:</b>     | See Section 11.                                                                                                                                                                                                                                                 |

## 5. FIRE FIGHTING MEASURES

|                                           |                                                                                                                                                                                                                             |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Extinguishing media:</b>               | Water spray (fog), foam, dry chemical or carbon dioxide. Do not use high volume water jet.                                                                                                                                  |
| <b>Special firefighting procedures:</b>   | Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. Keep unnecessary personnel away.                                                                                               |
| <b>Unusual fire or explosion hazards:</b> | Closed containers may rupture (due to build up of pressure) when exposed to extreme heat. In case of fire, keep containers cool with water spray. Do not allow run-off from fire fighting to enter drains or water courses. |
| <b>Hazardous combustion products:</b>     | Oxides of carbon. Hydrocarbons. Toxic fumes. Irritating vapors.                                                                                                                                                             |

## 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

|                                   |                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Environmental precautions:</b> | Do not allow product to enter sewer or waterways.                                                                                                                                                                                                                                                                                                                                                 |
| <b>Clean-up methods:</b>          | Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during clean-up. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up spilled material and place in a closed container for disposal. |

## 7. HANDLING AND STORAGE

|                  |                                                                                                                                                                                                                                     |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling:</b> | Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. See Section 8 of the SDS for Personal Protective Equipment. Keep container closed. |
| <b>Storage:</b>  | Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. Keep in a cool, well ventilated area.                                                                |

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s)                                 | ACGIH TLV                                                                                                | OSHA PEL                                                                                                                                                                                                                          | AIHA WEEL | OTHER |
|--------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|
| Calcium fluoride                                       | 2.5 mg/m3 TWA (as F)                                                                                     | 2.5 mg/m3 PEL (as F)<br>2.5 mg/m3 TWA Dust.                                                                                                                                                                                       | None      | None  |
| Graphite                                               | 2 mg/m3 TWA Respirable fraction.                                                                         | 5 mg/m3 PEL Respirable fraction.<br>15 mg/m3 PEL Total dust.<br>5 mg/m3 PEL Respirable fraction.<br>15 mg/m3 PEL Total dust.                                                                                                      | None      | None  |
| Distillates (petroleum), hydrotreated heavy naphthenic | 5 mg/m3 TWA Inhalable fraction.                                                                          | 5 mg/m3 PEL Mist.<br>500 ppm (2,000 mg/m3) PEL                                                                                                                                                                                    | None      | None  |
| Dodecylbenzene calcium sulfonate                       | None                                                                                                     | None                                                                                                                                                                                                                              | None      | None  |
| Calcium distearate                                     | 3 mg/m3 TWA Respirable fraction.<br>3 mg/m3 TWA Respirable fraction.<br>10 mg/m3 TWA Inhalable fraction. | None                                                                                                                                                                                                                              | None      | None  |
| Calcium carbonate                                      | 10 mg/m3 TWA Total dust.<br>3 mg/m3 TWA Respirable particles.<br>10 mg/m3 TWA Inhalable particles.       | 5 mg/m3 PEL Respirable fraction.<br>15 mg/m3 PEL Total dust.<br>5 mg/m3 PEL Respirable fraction.<br>15 mg/m3 TWA Total dust.<br>50 MPPCF TWA Total dust.<br>15 MPPCF TWA Respirable fraction.<br>5 mg/m3 TWA Respirable fraction. | None      | None  |

### Engineering controls:

Use local ventilation if general ventilation is insufficient to maintain vapor concentration below established exposure limits.

### Respiratory protection:

Use NIOSH approved respirator if there is potential to exceed exposure limit(s).

### Eye/face protection:

Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Safety showers and eye wash stations should be available.

### Skin protection:

Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                            |                                                    |
|--------------------------------------------|----------------------------------------------------|
| <b>Physical state:</b>                     | Liquid                                             |
| <b>Color:</b>                              | Gray                                               |
| <b>Odor:</b>                               | Characteristic                                     |
| <b>Odor threshold:</b>                     | Not available.                                     |
| <b>pH:</b>                                 | Not applicable, Product is non-soluble (in water). |
| <b>Vapor pressure:</b>                     | Not available.                                     |
| <b>Boiling point/range:</b>                | 288 °C (550.4 °F)None                              |
| <b>Melting point/ range:</b>               | Not available.                                     |
| <b>Specific gravity:</b>                   | 1.18                                               |
| <b>Vapor density:</b>                      | Not available.                                     |
| <b>Flash point:</b>                        | > 93 °C (> 199.4 °F)                               |
| <b>Flammable/Explosive limits - lower:</b> | Not available.                                     |
| <b>Flammable/Explosive limits - upper:</b> | Not available.                                     |
| <b>Autoignition temperature:</b>           | Not available.                                     |

|                                                 |                        |
|-------------------------------------------------|------------------------|
| <b>Flammability:</b>                            | Not applicable         |
| <b>Evaporation rate:</b>                        | Not available.         |
| <b>Solubility in water:</b>                     | Insoluble              |
| <b>Partition coefficient (n-octanol/water):</b> | Not available.         |
| <b>VOC content:</b>                             | < 3 % Essentially Zero |
| <b>Viscosity:</b>                               | Not available.         |
| <b>Decomposition temperature:</b>               | Not available.         |

## 10. STABILITY AND REACTIVITY

|                                          |                                                                                                                    |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>Stability:</b>                        | Stable under normal conditions of storage and use.                                                                 |
| <b>Hazardous reactions:</b>              | None under normal processing.                                                                                      |
| <b>Hazardous decomposition products:</b> | Oxides of carbon. Hydrocarbons. Toxic fumes. Irritating vapors.                                                    |
| <b>Incompatible materials:</b>           | Strong oxidizing agents.                                                                                           |
| <b>Reactivity:</b>                       | Not available.                                                                                                     |
| <b>Conditions to avoid:</b>              | Elevated temperatures. Heat, flames, sparks and other sources of ignition. Store away from incompatible materials. |

## 11. TOXICOLOGICAL INFORMATION

**Relevant routes of exposure:** Skin, Inhalation, Eyes, Ingestion

### Potential Health Effects/Symptoms

|                      |                                                                                                        |
|----------------------|--------------------------------------------------------------------------------------------------------|
| <b>Inhalation:</b>   | Inhalation of vapors or mists of the product may be irritating to the respiratory system.              |
| <b>Skin contact:</b> | May cause skin irritation.                                                                             |
| <b>Eye contact:</b>  | Causes serious eye irritation.                                                                         |
| <b>Ingestion:</b>    | Not expected under normal conditions of use. May cause gastrointestinal tract irritation if swallowed. |

| Hazardous Component(s)                                 | LD50s and LC50s                                                                                                                                                                                                     | Immediate and Delayed Health Effects |
|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| Calcium fluoride                                       | Oral LD50 (Rat) = 4,250 mg/kg<br>Inhalation LC50 (Rat, 4 h) = > 5,070 mg/m3                                                                                                                                         | Teeth, Muscle, Respiratory           |
| Graphite                                               | Inhalation LC50 (Rat, 4 h) = > 2,000 mg/m3<br>Inhalation LC50 (Rat, 4 h) = > 2,000 mg/m3                                                                                                                            | Lung                                 |
| Distillates (petroleum), hydrotreated heavy naphthenic | Inhalation LC50 (Rat, 4 h) = > 4.026 mg/l<br>Inhalation LC50 (Rat, 4 h) = 2.18 mg/l<br>Inhalation LC50 (Rat, 4 h) = 10.5 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 5.2 mg/l<br>Inhalation LC50 (Rat, 4 h) = < 5.7 mg/l | Irritant                             |
| Dodecylbenzene calcium sulfonate                       | None                                                                                                                                                                                                                | No Data                              |
| Calcium distearate                                     | None                                                                                                                                                                                                                | No Target Organs                     |
| Calcium carbonate                                      | Oral LD50 (Rat) = 6,450 mg/kg<br>Oral LD50 (Mouse) = 6,450 mg/kg<br>Inhalation LC50 (Rat, 4 h) = > 3 mg/l                                                                                                           | Nuisance dust                        |

| Hazardous Component(s)                                 | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|--------------------------------------------------------|----------------|-----------------|------------------------------------------|
| Calcium fluoride                                       | No             | No              | No                                       |
| Graphite                                               | No             | No              | No                                       |
| Distillates (petroleum), hydrotreated heavy naphthenic | No             | No              | No                                       |
| Dodecylbenzene calcium sulfonate                       | No             | No              | No                                       |
| Calcium distearate                                     | No             | No              | No                                       |
| Calcium carbonate                                      | No             | No              | No                                       |

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

### U.S. Department of Transportation Ground (49 CFR)

|                                  |               |
|----------------------------------|---------------|
| <b>Proper shipping name:</b>     | Not regulated |
| <b>Hazard class or division:</b> | None          |
| <b>Identification number:</b>    | None          |
| <b>Packing group:</b>            | None          |

### International Air Transportation (ICAO/IATA)

|                                  |               |
|----------------------------------|---------------|
| <b>Proper shipping name:</b>     | Not regulated |
| <b>Hazard class or division:</b> | None          |
| <b>Identification number:</b>    | None          |
| <b>Packing group:</b>            | None          |

### Water Transportation (IMO/IMDG)

|                                  |               |
|----------------------------------|---------------|
| <b>Proper shipping name:</b>     | Not regulated |
| <b>Hazard class or division:</b> | None          |
| <b>Identification number:</b>    | None          |
| <b>Packing group:</b>            | None          |

## 15. REGULATORY INFORMATION

### United States Regulatory Information

|                                         |                                                                                                                      |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>TSCA 8 (b) Inventory Status:</b>     | All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory. |
| <b>TSCA 12 (b) Export Notification:</b> | None above reporting de minimis                                                                                      |
| <b>CERCLA/SARA Section 302 EHS:</b>     | None above reporting de minimis.                                                                                     |
| <b>CERCLA/SARA Section 311/312:</b>     | Immediate Health                                                                                                     |
| <b>CERCLA/SARA Section 313:</b>         | None above reporting de minimis.                                                                                     |
| <b>California Proposition 65:</b>       | No California Proposition 65 listed chemicals are known to be present.                                               |

### Canada Regulatory Information

|                             |                                                                                                   |
|-----------------------------|---------------------------------------------------------------------------------------------------|
| <b>CEPA DSL/NDL Status:</b> | All components are listed on or are exempt from listing on the Canadian Domestic Substances List. |
|-----------------------------|---------------------------------------------------------------------------------------------------|

## 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 1

**Prepared by:** Product Safety and Regulatory Affairs

**Issue date:** 09/07/2022

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.