



CABLE TIE 120LB 13IN UV BLK NYLON

<u>Green</u>

_

General Information

Extended Product Type	TY27MX	
Product ID	7TAG009320R0004	
EAN	5414363063407	
Catalog Description	CABLE TIE 120LB 13IN UV BLK NYLON	
Long Description	High Performance Cable Tie, Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Black Color Nylon 6.6, Length of 340mm (13.4 Inches) for Bundle Diameter up to 102mm (4 Inches), Width of 6.9mm (0.271 Inch), Tensile Strength Rating of 534 Newtons (120 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 105 Degrees Celsius (221 F), Bulk Pack	
Lock Type	Stainless Steel Barb	

Ordering

EAN	5414363063407
Minimum Order Quantity	500 piece
Customs Tariff Number	3926909990

__

Dimensions

Product Net Weight	4 264 a	
Froduct net weight	4.204 y	

__

Container Information

Package Level 1 Units	500 piece
Package Level 1 Width	355.6 mm
Package Level 1 Height	558.801 mm
Package Level 1 Depth / Length	558.8 mm
Package Level 1 EAN	00786210824789
Package Level 2 Units	1000 piece
Package Level 2 Width	127 mm
Package Level 2 Height	241.3 mm
Package Level 2 Depth / Length	387.35 mm
Package Level 2 EAN	50786210824784

Additional Information

TY27MX 2

Color	Black
Material	Nylon/Polyamide 6.6
Product Main Type	PERFORMANCE CABLE TIES AND ACCESSORIES
Product Name	PLASTIC CABLE TIE
Product Type	Standard
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
UPC	786210824789

_

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY27MX
Instructions and Manuals	TY27MX

_

Classifications

E-nummer	1518079
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

