DUAL TF DBC SST 120/240V

35.7" x 20.2" x 21.8" (90.7cm x 51.3cm x 55.4cm)



Servers and airpots sold separately

Specifications

Product #: 34600.0002 Water Access: Plumbed Interface: Wireless Finish: Stainless Funnel: Smart Funnel

Faucet: Lower

• Brews 16.3 to 18.9gal (61.7 to 71.5L) of perfect coffee per hour

- Coffee extraction controlled with pre-infusion and pulse brew, digital temperature control, and large sprayhead; coffee strength controlled with variable by-pass.
- Create coffee recipe cards with custom recipes, ad cards with messages that display on the brewer LCD, and dedicated funnels for special coffees with the BrewWISE Recipe Writer using your PC (Windows® compatible).
- Easy pulse interface allows automatic programming of pulse routine
- Preventive maintenance kit: 39641.0000
- Stores individual coffee recipes so operator can easily brew many varieties
- ThermoFresh® servers are vacuum insulated to keep coffee hot for hours.
- SplashGard® funnels deflect hot liquids away from the hand
- Energy saver mode reduces tank temperature during idle periods
- Operate any combination of BrewWISE equipment error-free with wireless brewer-grinder interface through Smart Funnel with SplashGard®

Agency:





BUNNLINK Compatible BrewWISE

Electrical & Capacity

| Volts | Amps | Watts | Cord Attached | Plug Type | 8oz cups/hr 236ml cups/hr | Input H ² O Temp. | Phase | # Wires plus Ground | Hertz |
|---------|------|-------|------------------|-----------|------------------------------|---------------------------------|-------|------------------------|-------|
| 120/240 | 27.5 | 6600 | No | - | 309 | 60°F (15.5°C) | 1 | 3 | 60 |

Plumbing Requirements

CAD Drawings


| PSI | kPa | Fitting Supplied | Water Flow Required (GPM) | 2D | Revit | KLC |
|-------|---------|-------------------------|---------------------------|----|-------|-----|
| 20-90 | 138-621 | 3/8" Male Flare Fitting | - | • | | |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle

Created on: 09/13/2017

the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



| Unit | | | | Shipping | | | | | |
|---------|----------|----------|----------|----------|--------|-------|------------|------------------------|--|
| | Width | Height | Depth | Width | Height | Depth | Weight | Volume | |
| English | 21.8 in. | 35.7 in. | 20.2 in. | - | - | - | 92.500 lbs | 13.180 ft ³ | |
| Metric | 55.4 cm | 90.7 cm | 51.3 cm | - | - | - | 41.958 kgs | 0.373 m³ | |




 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 09/13/2017

 For most current specifications and other info visit bunn.com.
 09/13/2017

Related Products & Accessories: DUAL TF DBC SST 120/240V(34600.0002)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 09/13/2017

 For most current specifications and other info visit bunn.com.
 09/13/2017

Serving & Holding Options: DUAL TF DBC SST 120/240V(34600.0002)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 09/13/2017

 For most current specifications and other info visit bunn.com.
 09/13/2017