



# Electrolux

## Food Processor K120-Vertical Cutter-Mixer 3gal (12.2qt), 2 speed-s/s bowl

ITEM #

MODEL #

NAME #

SIS #

AIA #



Food Processor

K120-Vertical Cutter-Mixer 3gal (12.2qt), 2 speed-s/s bowl

600085 (K120S2U)

K120FU S/S CUTTER-MIXER  
12.2QT

### Short Form Specification

#### Item No.

K120FU-Vertical Cutter/Mixer, bench-style, two speed, 12.2 quart bowl capacity, removable bowl design, stainless steel bowl with clear BPA-free lid, metal housing, 1260 or 2480 rpm, 3 HP, 208-240v/60/3, 15.0 amps



APPROVAL:

### Main Features

- Cutter mixer allows fast liquidizing, mixing, mincing, chopping and pastry-making.
- Lid with opening to add ingredients in mid-cycle.
- Base fixed cover for a better handling.
- Pulse function to coarse chopping.
- Productivity suitable for 100-200 meals per service.
- Delivered with:
  - 3gal (12.2qt or 11.5lt) stainless steel bowl with max liquid level indication to avoid spillage
  - micro toothed perforated blade
  - scraper
- Angled perforated knives and conical base of the bowl ensure consistent mixing.
- Cover metal frame to ensure seal water tightness to avoid leakage.
- All parts in contact with food are removable without tools and dishwasher safe.

### Construction

- 2 speeds: 1500 and 3000 rpm.
- Power: 2200 watts.
- IP65 touch button control panel.
- Transparent polycarbonate cover incorporates a magnetic contact safety system.
- 304 AISI stainless steel bowl with leak resistant spout and handles, easy to manage.
- Scraper with Stainless Steel handle, easy to dismount.
- Cover handle with double safety locking system.
- For user safety, user is required to press the start button to restart the machine after a power cut off.
- Asynchronous silent industrial motor for heavy duty and longer life.

### Included Accessories

- 1 of Scraper for K120S cutter mixer PNC 650059
- 1 of Micro-toothed blade rotor for 12.2qt cutter mixer PNC 650060
- 1 of Bowl, 12.2 quart, for cutter/mixer, stainless steel PNC 650073

### Optional Accessories

- Scraper for K120S cutter mixer PNC 650059 ☐
- Micro-toothed blade rotor for 12.2qt cutter mixer PNC 650060 ☐
- Bowl, 12.2 quart, for cutter/mixer, stainless steel PNC 650073 ☐
- Mobile stand, stainless steel PNC 653017 ☐
- Blade rotor, smooth, for 12.2 quart cutter/mixer PNC 653179 ☐
- Blade rotor, serrated, for 12.2 quart cutter/mixer PNC 653299 ☐



Electrolux

K120-Vertical Cutter-Mixer 3gal (12.2qt), 2 speed-s/s bowl Food Processor

Electrolux Professional, Inc.

www.electroluxusa.com/professional

10200 David Taylor Drive, Charlotte, NC 28262 • Telephone Number: 866-449-4200 • Fax Number: 704-547-7401



**Electrolux**

**Food Processor  
K120-Vertical Cutter-Mixer 3gal  
(12.2qt), 2 speed-s/s bowl**


- Serrated blade rotor for meat for 11,5 lt PNC 653538  
cutter mixer ☐




**Electrolux**

**Food Processor  
K120-Vertical Cutter-Mixer 3gal  
(12.2qt), 2 speed-s/s bowl**

Front




Top



EI = Electrical connection

Side



**Electric**

Supply voltage:

600085 (K120S2U)

208-240 V/3 ph/60 Hz

Electrical power, max:

2.2 kW

Total Watts:

2.2 kW

**Key Information:**

External dimensions, Width: 16 3/8" (416 mm)

External dimensions, Depth: 26 3/4" (680 mm)

External dimensions, Height: 20 3/8" (517 mm)

Shipping width: 21 5/8" (550 mm)

Shipping depth: 31 1/2" (800 mm)

Shipping height: 31 1/2" (800 mm)

Shipping weight: 165 lbs (75 kg)

**Food Processor  
K120-Vertical Cutter-Mixer 3gal (12.2qt), 2 speed-s/s bowl**

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2017.03.15