SAFETY DATA SHEET



OASIS 902

Section 1. Chemical product and company identification

Product name : OASIS 902

Recommended use and

restrictions

: All Purpose Cleaner

Use only for the purpose on the product label.

Product dilution information : Up to 12 oz/gal or 94 mL/L in water

Supplier's information : Ecolab Inc. Institutional Division

370 N. Wabasha Street St. Paul, MN 55102 1-800-352-5326

Code : 911161

Date of issue : 06 May 2013

EMERGENCY HEALTH INFORMATION: 1-800-328-0026

Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Hazards identification

Product AS SOLD

GHS Classification : SKIN CORROSION/IRRITATION - Category 1

SERIOUS EYE DAMAGE/ EYE IRRITATION -

Category 1

GHS label elements

Signal word : Danger

Symbol :

Hazard statements: Causes severe skin burns and eye damage.

Precautionary statements

Prevention: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash

hands thoroughly after handling.

Response : IF INHALED: Remove victim to fresh air and

keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a

POISON CENTER or physician.

Product AT USE DILUTION

Not classified.

No signal word.

No known significant effects or critical

hazards.

Wash thoroughly after handling.

Get medical attention if symptoms appear.

Page: 1/7

Section 2. Hazards identification

: No other specific measures identified.

Disposal : See section 13 for waste disposal information.

Other hazards : None known. No other specific measures identified.

See section 13 for waste disposal

Product AT USE DILUTION

with water for a few minutes.

water for a few minutes.

symptomatically.

No known effect after eye contact. Rinse with

No known effect after skin contact. Rinse

No special measures required. Treat

Get medical attention if symptoms occur.

information. None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Product AS SOLD

Concentration Range (%)	CAS number	
5 - 20	68411-30-3	
1 - 5	34590-94-8	
1 - 5	29911-27-1	
1 - 5	68439-57-6	
1 - 5	64-02-8	
1 - 5	6834-92-0	
	5 - 20 1 - 5 1 - 5 1 - 5 1 - 5	

Product AT USE DILUTION

Within the present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting, in accordance with local regulations.

Section 4. First aid measures

Produ	A 4 A C	SOI	ח
Produ	CT AS	- NI II	

Eye contact : Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention

immediately.

: Take off immediately all contaminated clothing. Skin contact

> Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Inhalation : Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical

attention immediately.

: Get medical attention immediately. Rinse mouth. Ingestion

Do not induce vomiting.

: No action shall be taken involving any personal risk or without suitable training. It may be

dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated

clothing thoroughly with water before removing it, or wear gloves.

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The Notes to physician

exposed person may need to be kept under medical surveillance for 48 hours.

See toxicological information (section 11)

Section 5. Fire-fighting measures

Product AS SOLD

Protection of first-

Suitable fire extinguishing

media

aiders

Specific hazards arising from the chemical

Hazardous thermal

decomposition products

: Use water spray, fog or foam.

: In a fire or if heated, a pressure increase will occur and the container may burst.

Page: 2/7

Section 5. Fire-fighting measures

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

Specific fire-fighting

methods

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Product AS SOLD

Personal precautions

: Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled

material.

Environmental precautions

: Avoid contact of spilled material and runoff with soil and surface waterways.

Methods for cleaning up

: Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/ neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Use a water rinse for final clean-up.

Product AT USE DILUTION

Use personal protective equipment as required.

Avoid contact of large amounts of spilled material and runoff with soil and surface waterways.

Use a water rinse for final clean-up.

Section 7. Handling and storage

Product AS SOLD

Handling : Do not get in eyes or on skin or clothing. Do not

breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.

: Keep out of reach of children. Keep container Storage

tightly closed.

Store between the following temperatures: 5 and

40°C

Product AT USE DILUTION

Wash thoroughly after handling.

Keep out of reach of children.

Section 8. Exposure controls/personal protection

Control parameters

Ingredient name	Exposure limits
dipropylene glycol methyl ether	ACGIH TLV (United States, 3/2012). Absorbed through skin. STEL: 909 mg/m³ 15 minutes. STEL: 150 ppm 15 minutes. TWA: 606 mg/m³ 8 hours. TWA: 100 ppm 8 hours.
	OSHA PEL (United States, 6/2010). Absorbed through skin.

Section 8. Exposure controls/personal protection

TWA: 600 mg/m3 8 hours. TWA: 100 ppm 8 hours.

NIOSH REL (United States, 6/2009).

Absorbed through skin. TWA: 100 ppm 10 hours. TWA: 600 mg/m³ 10 hours. STEL: 150 ppm 15 minutes. STEL: 900 mg/m³ 15 minutes.

Product AS SOLD

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Personal protection

Eye protection

: Use chemical splash goggles. For continued or severe exposure wear a face shield over the

goggles.

Hand protection : Use chemical-resistant, impervious gloves.

Skin protection : Use synthetic apron, other protective equipment

as necessary to prevent skin contact.

Respiratory protection

Hygiene measures

: A respirator is not needed under normal and intended conditions of product use.

: Wash hands, forearms and face thoroughly after handling chemical products, before eating.

before reusing.

should be used to remove potentially contaminated clothing. Wash contaminated clothing

smoking and using the lavatory and at the end of the working period. Appropriate techniques

Section 9. Physical and chemical properties

Product AS SOLD

Physical state : Liquid. Color : pink [Dark] Odor : Alcohol-like

: 12.2 to 13.4 (100%) pН

Flash point : > 100°C **Explosion limits** : Not available. Flammability (solid, : Not available.

gas)

Melting point : Not available. **Boiling point** : Not available. Evaporation rate : Not available. (butyl acetate = 1)

Vapor pressure : Not available. Vapor density : Not available.

Relative density : 1.034 to 1.054 (Water = 1)

Solubility : Not available.

Product AT USE DILUTION

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

No protective equipment is needed under normal use conditions.

No protective equipment is needed under normal use conditions.

No protective equipment is needed under

normal use conditions.

A respirator is not needed under normal and

intended conditions of product use.

Product AT USE DILUTION

Liquid. pink [Light]

Alcohol-like [Slight]

10 to 12 > 100°C

Section 9. Physical and chemical properties

Partition coefficient: : Not available.

n-octanol/water

Auto-ignition temperature

: Not available.

Decomposition

temperature

: Not available.

Odor threshold : Not available. Viscosity : Not available.

Section 10. Stability and reactivity

Product AS SOLD

Stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Materials to avoid : Slightly reactive or incompatible with the following materials: acids.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Section 11. Toxicological information

Route of exposure : Skin contact, Eye contact, Inhalation, Ingestion

Product AS SOLD

Symptoms

Eye contact : Adverse symptoms may include the following:

> pain watering redness

Skin contact : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Inhalation : Adverse symptoms may include the following:

coughing

Respiratory tract irritation

: Adverse symptoms may include the following: Ingestion

stomach pains

Acute toxicity

Eye contact : Causes serious eye damage.

Skin contact : Causes severe burns.

Inhalation : May cause respiratory irritation.

Ingestion : May cause burns to mouth, throat and stomach. **Product AT USE DILUTION**

No specific data.

No specific data.

No specific data.

No specific data.

No known significant effects or critical

hazards.

Toxicity data

Product/ingredient name

Page: 5/7

Section 11. Toxicological information

benzenesulfonic acid, linear alkyl, sodium salt	LD50 Dermal	Rat	>2000 mg/kg
	LD50 Oral	Rat	1080 mg/kg
dipropylene glycol methyl ether	LD50 Dermal LD50 Oral	Rabbit Rat	9510 mg/kg 5135 mg/kg
2-propanol, 1-(1-methyl-2-propoxyethoxy)-	LD50 Dermal LD50 Oral	Rabbit Rat	>2000 mg/kg 1766 mg/kg
sulfonic acids, c14-16-alkane hydroxy and c14-16-alkene, sodium salts	LD50 Dermal	Rabbit	6300 mg/kg
	LD50 Oral	Rat	3983 mg/kg
acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt	LD50 Oral	Rat	1700 mg/kg
disodium metasilicate	LD50 Oral	Rat	500 mg/kg

Chronic toxicity

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Section 12. Ecological information

Product AS SOLD

Ecotoxicity : This material is harmful to aquatic life.

Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
benzenesulfonic acid, linear alkyl, sodium salt	Acute LC50 1.04 mg/l	Fish	96 hours
dipropylene glycol methyl ether	Acute LC50 >1000 mg/l	Fish	96 hours
2-propanol, 1-(1-methyl-2-propoxyethoxy)-	Acute LC50 >100 mg/l	Fish	96 hours
sulfonic acids, c14-16-alkane hydroxy and c14-16-alkene, sodium salts	Acute LC50 4.2 mg/l	Fish	96 hours
acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt	Acute LC50 121 mg/l	Fish	96 hours
disodium metasilicate	Acute LC50 210 mg/l	Fish	96 hours

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Product AS SOLD

Disposal methods : Avoid disposal. Attempt to use product

completely in accordance with intended use. Disposal should be in accordance with applicable

regional, national and local laws and regulations.

RCRA classification: Unused product is D002 (Corrosive)

Product AT USE DILUTION

Diluted product can be flushed to sanitary sewer. Discard empty container in trash.

Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

DOT

DOT Classification Not regulated.

IMO/IMDG

IMO/IMDG Classification Not regulated.

Section 14. Transport information

For transport in bulk, see shipping documents for specific transportation information.

Product AT USE DILUTION

Not intended for transport.

Section 15. Regulatory information

Product AS SOLD

U.S. Federal regulations

TSCA 8(b) inventory : All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance

CAS number **SARA 313 Product name Concentration**

Form R - Reporting

requirements


: No listed substance

California Prop. 65 : No listed substance

Section 16. Other information

Product AS SOLD

Hazardous Material Information System (U.S.A.)



National Fire Protection Association (U.S.A.)



Date of issue : 06 May 2013 Prepared by

: Regulatory Affairs 1-800-352-5326

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

