SINGLE SH DBC SST 120/240V w/Fnl Locks

35.8" x 21.2" x 9.3" (90.9cm x 53.8cm x 23.6cm)





- Brews 1/2, 1 or 1 1/2gal (1.9, 3.8 or 5.7L) batches
- Brews 11.4gal (43.2L) of perfect coffee per hour
- Consistently brew perfect coffee using Digital Brewer Control™ with pulse brew
- Reduce accidents with safety features that decrease hot splashes from funnel, eliminate brewing when funnel or server is not present
- Simplify installation and calibration by creating your own recipe cards and dedicated funnels with the BrewWISE Recipe Writer using your PC (Windows® compatible).
- SplashGard® funnel deflects hot liquids away from the hand
- Energy saver mode reduces tank temperature during idle periods
- Operate any combination of BrewWISE equipment error-free with wireless brewer-grinder interface through Smart Funnel with SplashGard®
- Stores individual coffee and flavor profiles using adjustable water volume, bypass percentage, pulse brew, and pre-infusion timing
- Troubleshoot all switches and electrical components from the front panel with advanced diagnostic service tools
- · Funnel locks help improve safety

Agency:

Faucet: Upper





Specifications

Product #: 33600.0001

Water Access: Plumbed

Interface: Wireless Finish: Stainless

Funnel: Smart Funnel

Additional Features

BUNNLINK Compatible

BrewWISE

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120/240	17.5	4100	No	-	187	60°F (15.5°C)	1	3	60

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-


CAD Drawings


2D	Revit	KLC
•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on: 08/29/2017





Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	9.3 in.	35.8 in.	21.2 in.	-	-	-	58.650 lbs	7.203 ft ³
Metric	23.6 cm	90.9 cm	53.8 cm	-	-	-	26.604 kgs	0.204 m³



Related Products & Accessories: SINGLE SH DBC SST 120/240V w/Fnl Locks (33600.0001)



FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000



PAPEL FILTRANTE

Product #: 20138.1000



DRIP TRAY KIT, SINGLE STD & SH

Product #: 26830.0000



CHAROLA CON ACCESORIOS

Product #: 26830.0000



DRIP TRAY KIT, DUAL &

Product #: 27150.0000













Product #: 27875.0000



2SH STAND, 120V BLK

Product #: 27875.0003



BREWWISE RECIPE WRITER

Product #: 34444.0000



CARD ASSY,RECIPE TRANSFER(BRW)

Product #: 34447.0000



CARD ASSY, TRANSFER-AD (BRW)

Product #: 34448.0000









Serving & Holding Options: SINGLE SH DBC SST 120/240V w/Fnl Locks(33600.0001)



SH SERVER, 1.5G/5.7L NO FL ADJ TMR

Product #:27850.0001



CONTENEDOR

Product #:27850.0001



SH SERVER, 1.5G/5.7L BLK NO FL ADJ TMR

Product #:27850.0004



SH SERVER, 1.5G/5.7L 45 MIN ADJ TMR

Product #:27850.0006



SH SERVER, 1.5G BLK 60 MIN ADJ TMR

Product #:27850.0008



SH SERVER, 1.5G 120 MIN ADJ TMR AUTO OFF

Product #:27850.0009



SH SERVER, 1.5G/5.7L 240 MIN ADJ TMR

Product #:27850.0016



CONTENEDOR

Product #:27850.0016



SH SERVER, 1.5G/5.7L BLK 120 MIN ADJ TM

Product #:27850.0022



CONTENEDOR

Product #:27850.0022



SH-S SERVER 1G 60 MIN ADJ TMR

Product #:27850.0046



CONTENEDOR

Product #:27850.0046

